resocio sy say							Dott
Facility ID: Fa	acility Name:					# Forced	# of Reboots
Machine Name:		Forced:	Reboot Date:				
2 Fa	acility 2						
3/20/2006	20111ty 2						
CARLA		NO	3/20/2006	3:10:41PM			
CARLA		NO		3:13:43PM			
OANLA		NO	3/20/2000		3/20/2006	0	2
3/22/2006				Totals for	3/20/2000	· ·	2
TRAININGP4		NO	3/22/2006	9:24:15AM			
TRAININGP4		NO		9:25:33AM			
TRAININGP4		YES		9:33:58AM			
TRAININGP4		NO		9:35:34AM			
110 (1141)	101 1	110	0/22/2000		3/22/2006	1	4
3/27/2006				Totals for	3/22/2000	•	7
CARLA		NO	3/27/2006	2:31:43PM			
CARLA		NO		2:33:42PM			
CARLA		NO		2:55:29PM			
CARLA		NO		3:07:38PM			
CARLA		NO		3:11:21PM			
					3/27/2006	0	5
3/30/2006							
CARLA		NO	3/30/2006	9:28:39AM			
CARLA		NO	3/30/2006	9:29:01AM			
CARLA		NO	3/30/2006	9:30:32AM			
				Totals for	3/30/2006	0	3
				Totals for Faci	lity 2	1	14
	acility 3						
3/21/2006							
RPDELI	L	NO	3/21/2006	3:26:58PM			
RPDELI	L	NO	3/21/2006	3:29:57PM			
RPDELL		NO	3/21/2006	3:29:59PM			
				Totals for	3/21/2006	0	3
3/27/2006			0.10=1005=	0.50.5501			
RPDELI		NO		2:58:57PM			
RPDELL		NO		3:02:06PM			
RPDELI		NO		3:04:15PM			
RPDELL		NO		3:04:53PM			
RPDELL		NO		3:05:03PM			
RPDELL		NO		3:05:44PM			
RPDELI	L	NO	3/27/2006	5:09:26PM		0	
				Totals for 3/27/2006			7
				Totals for Faci	lity 3	0	10
				Grand Total		1	24